



3600rpm Portable Diesel Fire Pump 2.8kw 6.3kw Portable Engine Water Pump

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Type: Portable Diesel Fire Pump
- Suction/discharger Port Diameter Mm(inch): 50(2'). 80(3'). 100(4'). 150(6')
- Discharge Capacity m³/h): 30 40 110 150
- Total Head Lift: 25m 26m 22m 20m
- Self-priming Time (s/4m): 80 120 180 180
- Max Suction Head: 8m 8m 8m 6m
- Rotation Speed (r/min): 3600
- Noise Level Db(A)/7m): 85
- Overall Dimension(mm): 510x455x640. 560x455x655. 650x470x700. 770x574x785
- Dry Weight: 44kg 50kg 71kg 95kg
- Engine Model: GET173F GET178F GET186FA GET192F
- Rated Power: 2.8kw 4kw 6.3kw 8.5kw
- Fuel Consumption G/kw.h: 288 285 281 281
- Displacement (cm³): 247 300 410 400

for more products please visit us on dieselenginepumps.com

Product Description

High Efficiency Portable Fire Pump Diesel Engine Portable Diesel Fire Pump

A **Portable Fire Pump Diesel Engine** is a specialized firefighting equipment designed to provide a reliable and efficient water supply in areas where a permanent water source is not readily available or during emergency situations. It is commonly used by firefighters, emergency response teams, and in industrial settings to combat fires effectively.

Here is a description of a typical portable diesel fire pump:

Diesel Engine: The fire pump is powered by a diesel engine, which provides the necessary energy to drive the water pump. Diesel engines are preferred for their durability, reliability, and ability to operate for extended periods without refueling.

Portable Design: The fire pump is built to be easily transported and set up at different locations. It often comes with a sturdy frame or skid, allowing for convenient handling and mobility. Some models may also have wheels or handles for easier maneuverability.

Control Panel: A control panel is typically mounted on the pump for easy operation and monitoring. It may include controls for starting, stopping, and adjusting the engine speed, as well as gauges or indicators to monitor water pressure, engine temperature, and fuel levels.

Fuel Tank: The fire pump incorporates a fuel tank to store diesel fuel for the engine. The tank capacity varies depending on the specific model, but it is designed to provide sufficient fuel for extended operation without frequent refills.

Safety Features: Portable diesel fire pumps often include safety features to ensure reliable and safe operation. These may include low oil pressure shutdown, high-temperature shutdown, and automatic engine shut-off in case of emergencies.

Type:	Portable Diesel Fire Pump
Discharge Capacity(m³/h):	30 40 110 150
Self-priming Time (s/4m):	80 120 180 180
Fuel Consumption G/kw.h:	288 285 281 281
Starter System:	Recoil Starter
Suction/discharger Port Diameter Mm(inch):	50(2'). 80(3'). 100(4'). 150(6')
Total Head Lift:	25m 26m 22m 20m
Max Suction Head:	8m 8m 8m 6m
Noise Level Db(A)/7m):	85
Dry Weight:	44kg 50kg 71kg 95kg
Rated Power:	2.8kw 4kw 6.3kw 8.5kw
Displacement (cm³):	247 296 418 498
Fuel Tank Capacity:	13.5L
Rotation Speed (r/min):	3600
Overall Dimension(mm):	510x455x640. 560x455x655. 650x470x700. 770x574x785
Engine Model:	GET173F GET178F GET186FA GET192F

Portable diesel fire pumps are versatile and can be used in various firefighting scenarios, including rural areas, construction sites, remote locations, or any situation where a temporary water supply is required to fight fires effectively.



